



FLEXI PIPE

***SUB-SOIL
DRAINAGE PIPE***



AFP


PHOENIX PLASTICS P/L

- **Class 1000**
- **Class 400**
- **Sizes 50mm up to 200mm**
- **Fittings**



INDEX

- Introduction
- Class 1000 Drainage
 - Price List
- Class 400 Drainage
 - Price List
- Coupling Price List
- Pipe dimensions
- Sock (RTA)



CLASS 400 / HDPE FLEX DRAIN

SIZE	SLOTS	SOCK	PLAIN
50mm x			
10m	XX	XX	XX
20m	XX	XX	XX
50m	XX	XX	XX
100m	XX	XX	XX
200m	XX	XX	XX
65mm x			
10m	XX	XX	XX
20m	XX	XX	XX
50m	XX	XX	XX
100m	XX	XX	XX
200m	XX	XX	XX

SIZE	SLOTS	SOCK	PLAIN
100mm x			
10m	XX	XX	XX
20m	XX	XX	XX
50m	XX	XX	XX
100m	XX	XX	XX
160mm x			
50m	XX	XX	XX
200mm x			
30m	XX	XX	XX

CLASS 1000 / PVC FLEX DRAIN

SIZE	SLOTS	SOCK	PLAIN
65mm x			
50m	XX	XX	XX
100m	XX	XX	XX
100mm x			
20m	XX	XX	XX
50m	XX	XX	XX
100m	XX	XX	XX
160mm x			
50m	XX	XX	XX

SIZE	SLOTS	SOCK	PLAIN
200mm x			
30M			XX



9/28/2005

PHOENIX PLASTICS

COUPLINGS CLASS 400 / HDPE


	50mm	65mm	100m	160mm	200mm
JOINER	xx	xx	xx	xx	
T	xx	xx	xx		
Y		xx	xx		
END CAP	xx	xx	xx		
CROSS		xx	xx		
PEST TRAP					
REDUCER 100mm / 65mm		xx			
REDUCER 100mm / 50mm	xx				

COUPLINGS CLASS 1000 / PVC


	65mm	100mm	160mm	200mm
JOINER	XX	XX	XX	
T	XX	XX		
Y	XX	XX		
END CAP	XX	XX		




ø55



ø50




ø100



Materiali ed altri incavi: PE 2%

PVC 1%

	Particolare	U.R.	Disegnato
	Pipe D. 55-D. 50-D. 100		
	APF	Data	07/2004
<small>Attesto di legge citato sotto la proprietà di questo disegno, con il di riproduzione o di ristampa, noto o fatto, senza nostra autorizzazione.</small>		Scala	1:1
			TUBI 1185-00



Test Report No:

S 5384

Page 5 of 6

CLIENT: INDUSTRIAL KNITTED PRODUCT
P.O. Box 102 VIRGINIA,
QLD 4014 AUSTRALIA

REFERENCE: Purchase Order Letter, Dated 7.05.2004

DATE RECEIVED: 10.05.04

SAMPLE DETAILS: 100 mm soil filter sock

Test Number	Test Description	Results		
T 1520	Determination of Yield	23.574 m/kg		
	Longitudinal Strain	8.5%		
T 1521	Laddering (From a cut end)	Pass		
	Unravelling *	Pass		
	Overweaving *	Pass		
T 1522	Abrasion Resistance			
	Tested in Longitudinal Direction	Pass		
	Tested in Circumferential Direction	Pass		
T 1523	Weaving Stability			
	For Parallel Cut	Pass		
	For Right angle Cut	Pass		
T 1524	Large opening Size (DR)	350		
	Opening Index (I)	163.50		
	Range of diameters-based on ten largest diameters	Photograph	Range (µm)	
		1	150 - 370	
		2	200 - 350	
3	150 - 410			

